



Fall Protection



NOBLES



A TASMEA COMPANY

Core Range Fall Protection

Height Safety | Confined Space | Industrial Rescue

Safety as basic as the ABCs!

A typical Personal Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage/anchorage connector, body support and connecting device—when used together—form a complete system for maximum worker protection. But don't forget the other important components of a comprehensive fall protection program: descent and rescue, education and fall protection for tools.

A **Anchorage** provide a secure point of attachment. Anchorage connectors vary by industry, job, type of installation and structure. They must be able to support the intended loads and provide a sufficient factor of safety for fall arrest.


B **Body support** harnesses help distribute fall forces over the upper thighs, pelvis, chest and shoulders. They provide a connection point on the worker for the personal fall arrest system.

C **Connectors** such as shock-absorbing lanyards or self-retracting lifelines connect a worker's harness to the anchorage.

D **Rescue and Descent devices** are used to raise or lower a worker to safety or retrieve them from a confined space.

E **Education** is essential. We offer a variety of training and consultative services to fit your needs.

F **Fall protection for tools**, helping make work environments safer and more productive by reducing dropped object incidents.



Fall Protection – Anchorages

3M™ DBI-SALA Tie-Off Anchor Strap Adaptor with Interlocking Rings



Nobles Part No.	3M ID	Model #	Description
10440	70007928834	E849-005	0.5 m
22107	70007929196	E849-008	0.8 m
13432	70007925731	E849-010	1 m
11694	70007928909	E849-012	1.2 m
14540	70007925566	E849-015	1.5 m
10807	70007925574	E849-020	2 m

3M™ DBI-SALA® Tie-Off Adaptor



Nobles Part No.	3M ID	Model #	Description
35578	AT010622010	1003581	0.7 m
35579	AT010622028	1003582	1.0 m
10840	AT010622044	1003584	1.5 m
35739	AT010622051	1003585	2.0 m

3M™ DBI-SALA® D-ring with Anchorage Plate



Nobles Part No.	3M ID	Model #	Description
12363	70007440707	2101630	D-ring with anchorage plate

3M™ DBI-SALA® Concrete Detent Anchor



2101004



2101000



2101002

Nobles Part No.	3M ID	Model #	Description
12203	70007440699	2101004	Complete Assembly, Pin and Socket
22425	70007451167	2101000	Socket and Cap to Suit Detent Pin
22208	70007451175	2101002	Concrete Detent Pin

3M™ DBI-SALA® Concrete D-ring Anchor



Nobles Part No.	3M ID	Model #	Description
18208	70007441093	2104560	Bolt on, with swivel D-ring

3M™ DBI-SALA® Beam Anchors



Nobles Part No.	3M ID	Model #	Description
24293	70007442091	2108406	Fixed beam anchor, adjustable

Fall Protection – Anchorages

3M™ DBI-SALA® Sliding Beam Anchor



Nobles Part No.	3M ID	Model #	Description
35741	70804490921	2104710	Sliding Beam Anchor, Small, Adjustable 89mm - 355mm

3M™ DBI-SALA® Beam Trolley



Nobles Part No.	3M ID	Model #	Description
35972	70007440806	2103143	Beam trolley, installs onto 76mm - 203mm wide I-beam flange up to 17mm thick

3M™ DBI-SALA® Sayflin™ Temporary Lifeline Rope Systems



Nobles Part No.	3M ID	Model #	Description
35765	70007490355	7600505	15 m
35766	70007490371	7300507	20 m
35767	70007490389	7600508	25 m
35768	70007490405	7600510	30 m

3M™ Protecta® PRO-Line™ Temporary Horizontal Lifeline System



Nobles Part No.	3M ID	Model #	Description
20755	70071760188	1200101	18 m, webbing, up to 2 users



Fall Protection – Body Harnesses



3M™ DBI-SALA® ExoFit NEX™

Premium all day
comfort harness

- Revolving adjusters maintain fit and lock excess webbing in place
- Lightweight aluminium D-rings
- Quick-connecting buckles enhance productivity
- Non-slip, moisture-wicking padding
- Water repellent coating resists mould and dirt
- Standup dorsal D-ring simplifies connections

ExoFit NEX™ Plus also available, featuring a built-in SRL adapter.




3M™ DBI-SALA® Delta™

The every day workers harness

- Revolving adjusters maintain fit and lock excess webbing in place
- Tangle-free design falls into place when donned
- Ergonomic hip pad supports back and hips
- Quick-connect buckles enhance productivity
- Water repellent coating resists mold and dirt
- Standup dorsal D-ring simplifies connections

Select
your
size:



Sizing chart is a guide only

Fall Protection – Body Harnesses

3M™ DBI-SALA® ExoFit NEX Riggers Harness



Nobles Part No.	3M ID	Model #	Description
17195	70007925673	603S2018	Small
14159	70007925467	603M2018	Medium
14085	70007926127	603L2018	Large
18127	70007926218	603XL2018	Extra Large
21539	70007942371	603XXL2018	Extra Extra Large

3M™ DBI-SALA® ExoFit NEX™ Riggers Harness with Stainless Steel Hardware



Nobles Part No.	3M ID	Model #	Description
35742	70007927331	603S1020	Small
13722	70007927349	603M1020	Medium
10078	70007928552	603L1020	Large
20688	70007928560	603XL1020	Extra Large

3M™ DBI-SALA® ExoFit NEX™ Cross-Over Harness



Nobles Part No.	3M ID	Model #	Description
25711	70007946505	613S2016	Small
20690	70007926655	613M2016	Medium
12920	70007941803	613L2016	Large

3M™ DBI-SALA® ExoFit NEX™ Confined Space Harness



Nobles Part No.	3M ID	Model #	Description
21546	70007929378	623S2018	Small
11974	70007926010	623M2018	Medium
18364	70007925798	623L2018	Large
13793	70007925764	623XL2018	Extra Large

3M™ DBI-SALA® ExoFit NEX™ Tower Workers Harness



Nobles Part No.	3M ID	Model #	Description
22618	70007935102	653S4016	Small
10068	70007926366	653M4016	Medium
21153	70007928917	653L4016	Large
25855	70007943510	653XL4016	Extra Large

3M™ DBI-SALA® ExoFit NEX™ Flotation Harness



Nobles Part No.	3M ID	Model #	Description
20510	70008280318	603S1034	Small 275N
12331	70007936233	603M1034	Medium 275N
16757	70007941191	603L1034	Large 275N
20981	70007945168	603XL1034	Extra Large 275N

Fall Protection – Body Harnesses

3M™ DBI-SALA® Delta™ Riggers Harness



Nobles Part No.	3M ID	Model #	Description
18482	70007941654	803xs0018	Extra Small
22173	70007926416	803S0018	Small
19845	70007925822	803M0018	Medium
21069	70007925707	803L0018	Large
21400	70007925046	803XL0018	Extra Large

3M™ DBI-SALA® Delta™ All Purpose Harness



Nobles Part No.	3M ID	Model #	Description
22879	70007930806	823S0018	Small
20721	70007925855	823M0018	Medium
20524	70007925616	823L0018	Large
19595	70007927141	823XL0018	Extra Large

3M™ Protecta® P200 Riggers Harness



Nobles Part No.	3M ID	Model #	Description
35571	AT010644295	1161672	Small
35572	AT010644303	1161673	Medium
35808	AT010644311	1161674	Large
35809	AT010644329	1161675	Extra Large

3M™ Protecta® P200 Riggers Harness with Pads



Nobles Part No.	3M ID	Model #	Description
35810	AT010644337	1161676	Small
35811	AT010644345	1161677	Medium
35812	AT010644352	1161678	Large
35813	AT010644360	1161679	Extra Large

3M™ Protecta® P200 Welders Harness



Nobles Part No.	3M ID	Model #	Description
35573	AT010644451	1161688	Small
35580	AT010644469	1161689	Medium
35814	AT010644477	1161690	Large
35815	AT010644485	1161691	Extra Large

3M™ Protecta® P200 Riggers Full-Body Harness



Nobles Part No.	3M ID	Model #	Description
35984	XF003916616	1130116	Universal Size

Fall Protection – Body Harnesses

3M™ Protecta® P50 Industrial Harness



Nobles Part No.	3M ID	Model #	Description
14975	AT010621574	1390061A	3M™ Protecta® P50 Industrial Harness

3M™ Protecta® P50 Construction Harness



Nobles Part No.	3M ID	Model #	Description
35807	AT010621582	1390062A	3M™ Protecta® P50 Construction Harness

Industrial P50 Harness with Integral Lanyard w/scaffold Hook



Nobles Part No.	3M ID	Model #	Description
35746	AT010621608	1390064A	Industrial P50 harness with integral lanyard w/scaff old hook

First™ Roof Workers Kit



Nobles Part No.	3M ID	Model #	Description
12565	70007925012	AA1000AU	P50 Fall Arrest Harness, 15 m kernmantle, rope lifeline with 1 m integral shock absorbing lanyard, 1.5 m round anchor strap, packed in a rugged re-useable carry bucket

Fall Protection – Connectors

3M™ DBI-SALA® Sealed-Blok SRL's



Nobles Part No.	3M ID	Model #	Description
35574	70007460077	3400950	15 m galvanised cable lifeline with swivel snap hook
18777	70007459772	3400866	25 m galvanised cable lifeline with swivel snap hook
35756	70007452074	3400971	40 m galvanised cable lifeline with swivel snap hook

3M™ DBI-SALA® Ultra-Lok™ SRL's with Steel TAK



Nobles Part No.	3M ID	Model #	Description
35771	70804520156	3504416	6m Galvanised Wire Rope with steel Triple Action Karabiner
35772	70804520164	3504417	9m Galvanised Wire Rope with steel Triple Action Karabiner
35770	70804520172	3504418	15m Galvanised Wire Rope with steel Triple Action Karabiner

3M™ Protecta® Rebel™ Self Retracting Lifelines



Nobles Part No.	3M ID	Model #	Description
10369	70007458675	3590520	6 m, galvanised cable, thermoplastic housing
13857	70007464996	3590521	10 m, galvanised cable, thermoplastic housing
19144	70007460440	3590570	15 m, galvanised cable, thermoplastic housing
13292	70007460549	3590610	20 m, galvanised cable, thermoplastic housing
14368	70007460622	3590690	30 m, galvanised cable, thermoplastic housing
35762	70007460382	3590536	10 m, Stainless Steel cable with steel Triple Action Karabiner
35763	70007466082	3590609	20 m, Stainless Steel cable with steel Triple Action Karabiner



3M™ DBI-SALA® Nano-Lok™ Self Retracting Lifelines

3M™ DBI-SALA® Nano-Lok 2G Self-Retracting Lifelines

High capacity external energy absorber and impact indicator

- Specialised built-in external absorption system maintains safe fall arrest forces for users and tools up to 140 kg and provides a visual alert that the SRL has been involved in a fall

1.8m 19mm Dynema polyester web lifeline

- The synthetic lifeline reduces overall weight and the retractable design provides freedom of movement, keeps the lifeline out of the worker's way and reduces dragging, snagging and trip falls.

Tough and impact resistant thermoplastic housing

- Compact and durable housing is designed to withstand the demands of challenging jobsites, it's built to last.


Wide variety of configurations available

- There are a wide variety of models to choose from to suit almost any application for complete jobsite versatility and flexibility

Fast connection system

- Simple, light-weight connector allows backward compatibility

Compliant to AS 1891.3:2020 Amd1:2021



Nobles Part No.	3M ID	Model #	Description
19632	70007455242	3101345	1.8 m twin webbing lifelines with quick connector anchorage connection and two steel scaffold hooks.
22877	70007444246	3101346	1.8 m twin webbing lifelines with quick connector anchorage connection and two aluminium scaffold hooks.
19918	70804449489	3101339	1.8 m Single webbing lifeline with steel triple action karabiners.
23480	70804449489	3101340	1.8 m Single webbing lifeline with stainless steel triple action karabiners.
23855	70804509647	3101342	1.8 m single webbing lifeline with steel triple action karabiner connection and steel scaffold hook on lifeline.
35761	70007455838	3101524	1.8 m, twin Nomex®/Kevlar® fibre webbing lifelines with steel scaffold hooks, quick connector for direct harness mounting

3M™ DBI-SALA® Force2™ Shock Absorbing Lanyards

Built for toughness and exceptional performance - trust the best!

All DBI-SALA Force2 shock absorbing lanyards are available in either single or double tail configurations constructed from webbing, wire or rope in a variety of styles (elasticated, non-elasticated, adjustable and tie-back), and are available with a wide combination of hook & karabiner terminations to suit your specific needs and applications.

Choosing a lanyard

Look for quality in these features when selecting a lanyard.

A. Webbing

Choose your webbing based on the type of conditions you work in. Options include Nomex®/Kevlar®, Kermantle rope and cable

B. Connector/hook

Expanded range of 3M™ DBI-SALA® Connectors allowing for one-handed use, won't pinch thumbs or fingers, for all industry applications and demands

C. Length

The standard lanyard length is 2m, but other lengths are available

D. Shock absorber

Smallest Shock absorber in the world, with HI-10™ high tenacity fibre energy management material, keeps forces below 6kN. For user weights up to 160kg

E. Labelling

Product data protected from everyday use, RFID equipped

3M™ DBI-SALA® Force2™ Shock Absorbing Webbing Lanyard

Nobles Part No.	3M ID	Model #	Description
22469	70007925608	Z11200909	Adjustable, 2.0m with double action steel snap hooks on all connections
13331	70007925681	Z11200919	Adjustable, 2.0m with double action snap hook and scaffold hook
35774	70007929428	Z13200909	Adjustable Twin, 2.0m with double action snap hooks on all connections
10828	70007934618	Z10200909E	Elasticated, 2.0m with double action steel snap hooks on all connections
22519	70007925418	Z12202519E	Elasticated Twin, 2.0m with aluminium double action snap hook and aluminium scaffold hooks
35773	70007925459	Z12200909	Fixed Twin, 2.0m with double action steel snap hooks on all connections
20569	70007927364	Z12200919	Fixed Twin, 2.0m with double action steel snap hooks and aluminium scaffold hooks



3M™ DBI-SALA® Force2™ Shock Absorbing Kernmantle Rope Lanyard

Nobles Part No.	3M ID	Model #	Description
25998	70007925475	Z11204545R	Adjustable, 2.0m with stainless steel triple action karabiners on all connections
22141	70007934345	Z11206159R	Adjustable, 2.0m with aluminium triple action karabiner on all connectors
35777	70007935094	Z11206119R	Adjustable, 2.0m with aluminium triple action karabiner and scaffold hook
35778	70007938411	Z12200919R	Fixed Twin, 2.0m with double action steel snap hooks and aluminium scaffold hooks



Fall Protection – Connectors

3M™ DBI-SALA® EZ-Stop™ Shock Absorbing Kernmantle Rope Lanyard

Nobles Part No.	3M ID	Model #	Description
35977	AT010782947	Z51204545TR	Adjustable, 2.0m with stainless steel triple action karabiners on all connections, stainless steel adjuster



AE529ADJ/9R

3M™ Protecta® Pro Shock Absorbing Lanyards

Nobles Part No.	3M ID	Model #	Description
13614	70007925442	AE529/3AU	Single tail fixed, 2 x snap hooks, 2.0 m
25937	70007940599	AE529E/3AU	Single tail, elasticated, 2 x snap hooks, 2.0 m
10529	70007928537	AE529ADJ/3AU	Single tail, adjustable, 2 x snap hooks, 0.75-2.0 m
11325	70007926879	AE529EY/5AU	Double tail, elasticated, 1 x snap hook, 2 x scaffold hooks, 2.0 m
35782	70007942074	AE529ADJ/9R	Adjustable from 0.75 - 2.0m with steel triple action karabiners on all connections
35748	AT010783069	AE529ADJ/8R	Adjustable from 0.75 - 2.0m with stainless steel triple action karabiners on all connections



AE529ADJ/3AU

AE529EY/5AU

3M™ DBI-SALA® Force2™ Welders Shock Absorbing Lanyard

Nobles Part No.	3M ID	Model #	Description
13289	70007926812	Z90200909NK	Fixed, 2.0m with double action snap hooks on all connections
15485	70007930814	Z90200909NKE	Elasticated 2.0m with double action snap hooks on all connections
14594	70804413717	Z90200919NK	Fixed 2.0m with double action snap hook and aluminium scaffold hooks
10639	70007925327	Z60200919NKE	Elasticated Twin 2.0m with double action snap hook and aluminium scaffold hooks
18963	70007937413	Z60204545NKE	Elasticated Twin 2.0m with stainless steel triple action karabiners on all connections



Z60200919NKE

Z90200909NKE

3M™ DBI-SALA® Lifeline, With Shockpack Assembly Systems

Nobles Part No.	3M ID	Model #	Description
35730	70007937223	P67110047558Z	ROPEGRAB-SYS 4.0M W/SHOCKPACK with Steel TAK
35731	70007943007	P67110057558Z	ROPEGRAB SYS 5.0M W/SHOCKPACK with Steel TAK
35734	70804409954	P67110104558Z	ROPEGRAB-SYS 10M W/SHOCKPACK With Stainless Steel TAK
35735	70804409988	P67110154558Z	ROPEGRAB-SYS 15M W/SHOCKPACK With Stainless Steel TAK
35732	70007951117	P67110207558Z	ROPEGRAB SYS 20M W/SHOCKPACK with Steel TAK
20689	70007961629	P67110307558Z	ROPEGRAB SYS 30M W/SHOCKPACK with Steel TAK



3M DBI-SALA Lad-Saf™ Vertical Cable Systems

Nobles Part No.	3M ID	Model #	Description
35791	70804503277	6116631	Galvanised Steel, level with top, to suit Ladder Rung, 2 User
35792	70804503285	6116632	Stainless Steel, level with top, to suit Ladder Rung, 2 User
35793	70804503301	6116634	Galvanised Steel to suit Mono Pole, 4 User
35794	70804503327	6116636	Galvanised Steel, climb extension, to suit Ladder Rung, 2 User
12232	70007475786	6100400	Galvanised Assembly to suit <1-1/8" Rung, Straight
14093	70007470464	6100515	Galvanised Assembly to suit 5-3/4" in length, 90 degree
12432	70007484242	6160052	Detachable Cable Sleeve with Zinc Plated Steel Double Action Karabiner
12758	AT019424947	6160065	Detachable Cable Sleeve with Zinc Plated Steel Triple Action Karabiner



6100515



6100400



6160052



6116636


6116634

6116631

Fall Protection – Descent and Rescue

3M™ DBI-SALA® Davit Arm High Capacity

Nobles Part No.	3M ID	Model #	Description
35804	70804508409	8000130	Davit Arm Assembly Short Reach 14-25 inch High Capacity
35805	70804508417	8000131	Davit Arm Assembly long reach 27-44 inch High Capacity



3M™ DBI-SALA® Davit Arm High Capacity Mast Extension

Nobles Part No.	3M ID	Model #	Description
35800	70804503533	8000112	Davit 53cm Mast Extension HC
35801	70804503541	8000113	Davit 84cm Mast Extension HC
35802	70804503558	8000114	Davit 114cm Mast Extension HC
35803	70804503566	8000115	Davit 145cm Mast Extension HC

3M™ DBI-SALA® Davit Arm High Capacity Mounts

Nobles Part No.	3M ID	Model #	Description
35796	70804498783	8000095	Davit Base Centre Floor Mount Base High Capacity Galvanized
35797	70804498791	8000096	Davit Base Centre Floor Mount Base High Capacity Stainless Steel
35798	70804498841	8000101	Davit Base Wall Mount High Capacity Galvanized
35799	70804498858	8000102	Davit Base Wall Mount High Capacity Stainless Steel



3M™ DBI-SALA® 5 Piece Davit System High Capacity

Nobles Part No.	3M ID	Model #	Description
35806	70804508425	8000132	3M™ DBI-SALA® 5-Piece Davit Arm High Capacity, Short Reach 14-25 inch, Includes 84 cm Mast Extension

Fall Protection – Descent and Rescue

3M™ DBI-SALA® Sealed-Blok™ Emergency Retrieval Self Retracting Lifeline

Nobles Part No.	3M ID	Model #	Description
14307	70007460093	3400955	15 m galvanised cable lifeline with swivel snap hook
35750	70007452025	3400956	15 m stainless steel cable lifeline with stainless steel swivel snap
35752	70007451720	3400880	25 m galvanised cable lifeline with swivel snap hook
35754	70007459830	3400881	25 m stainless steel cable lifeline with stainless steel swivel snap
35757	70007460168	3400985	40 m galvanised cable lifeline with swivel snap hook



3M™ DBI-SALA® Sealed-Blok™ Emergency Retrieval Self Retracting Lifeline With TAK

Nobles Part No.	3M ID	Model #	Description
35749	70804516915	3400957	15 m galvanised cable lifeline with steel swivel Triple Action Karabiner
35751	70804516923	3400958	15 m Stainless Steel lifeline with steel swivel Triple Action Karabiner
35753	70804516899	3400897	25 m galvanised cable lifeline with steel swivel Triple Action Karabiner
35755	70804516907	3400898	25 m Stainless Steel lifeline with steel swivel Triple Action Karabiner
35758	70804516931	3400998	40 m galvanised cable lifeline with steel swivel Triple Action Karabiner
35759	70804516949	3400999	40 m Stainless Steel lifeline with steel swivel Triple Action Karabiner



Accessories

Nobles Part No.	3M ID	Model #	Description
35941	70007452256	3401025	Davit Retrieval SRL Mounting Bracket for Davit arm/Tripod 3401025

3M™ DBI-SALA® Salalift™ II Winch



Nobles Part No.	3M ID	Model #	Description
17834	70007489712	8102001	18 m, 6 mm galvanised cable

3M™ DBI-SALA® Advanced Digital Winches



Nobles Part No.	3M ID	Model #	Description
10366	70007496816	8518560	18 m, 5 mm galvanised cable
16850	70007496824	8518561	27 m, 5 mm galvanised cable
25660	70007496857	8518579	42 m, 5 mm stainless steel cable

3M™ DBI-SALA® Tripods



*winch not included

Nobles Part No.	3M ID	Model #	Description
15631	70007488417	8000000	2.1 m, aluminium, square legs
10877	70007490959	8000010	2.7 m, aluminium, square legs

3M™ DBI-SALA® Tripods Accessories



Nobles Part No.	3M ID	Model #	Description
12474	70007488649	8003205	Snatch block, eye bolt pulley assembly
25777	70007489506	8005048	Mounting Bracket to fit SRL/Winch to Tripod Leg
25976	70007612537	9503094	Tripod carry bag for 8000000

Fall Protection – Descent and Rescue

3M™ DBI-SALA® Spreader Bar



Nobles Part No.	3M ID	Model #	Description
17226	70007926135	E522-SB1	Spreader bar with karabiner connections


3M™ DBI-SALA® RescueMate™ Auto Lock Haul Kits



8705104

Nobles Part No.	3M ID	Model #	Description
25904	70007931309	8704103	4:1 mechanical advantage, 5 m working length
26001	70007933347	8704104	4:1 mechanical advantage, 10 m working length
12447	70007930392	8704105	4:1 mechanical advantage, 15 m working length
35790	70007952271	8704106	4:1 mechanical advantage, 20 m working length
25710	70007928206	8705104	6:1 mechanical advantage, 10 m working length

3M™ DBI-SALA® Rollgliss™ Rescue Ladder



8516316

8516294

Nobles Part No.	3M ID	Model #	Description
11500	70007494928	8516294	2.4 m, includes 3 connecting karabiners
15741	70007494951	8516316	Anchorage plate for mounting ladder to a davit arm or anchorage point

3M™ PROTECTA® Confined Space Kits



Nobles Part No.	3M ID	Model #	Description
22070	70007940581	AA610AU	With Type 3 SRL, includes: AM100 tripod, 3591002 Type 3 retrieval SRL, AB123M Harness, Spreader bar AK0100 bag, mounting bracket & pulley
25800	70007936274	AA600AU	With Personnel Winch, includes: AM100 tripod, AT200/I20 Winch, AK0100 bag, mounting bracket and pulley

3M™ DBI-SALA® Rollgliss™ R550 Rescue & Escape Device – Rescue Kits




Nobles Part No.	3M ID	Model #	Description
35787	70007926663	3329020	20 m rescue device only
35788	70007940706	3329040	40 m rescue device only
35789	70007944039	1907-0030	30 m Rescue kit including rescue pole

3M™ DBI-SALA® Ultra-Lok™ RSQ



3504555

Nobles Part No.	3M ID	Model #	Description
25957	70007463279	3504555	Inbuilt dual mode rescue system, 15m, 5mm Stainless Steel Cable



WA

Perth
2/226 Barrington Street,
Bibra Lake 6163

Karratha
11 Coolawanyah Road,
Karratha Industrial Estate 6714

NT

Darwin
49 Benison Rd,
Winnellie 0821

SA

Adelaide (Head Office)
24-30 Kaurna Ave,
Edinburgh 5111

QLD

Mackay
4/53 Central Park Drive,
Paget 4740

Gladstone
56b Gladstone-Benaraby
Road, Toolooa 4680

Brisbane
63 Rai Dr,
Crestmead 4125

NSW

Sydney
Unit 3/199-203 Woodpark
Road, Smithfield 2164

VIC

Melbourne
Unit 2/40 Green St,
Doveton 3177

1300 711 559

sales@nobles.com.au
techservices@nobles.com.au

